

# Εξελίσσουμε τις ανάγκες σας

## UBIQUITI UNIFI SWITCH USW- PRO-MAX-16

UBIQUITI



SWITCH USW-PRO-MAX-16

Περιγραφή

Ubiquiti Pro Max 16 is a new L3 switch that offers 4x 2.5 Gbps and 12x 1 Gbps ports. For optical interface connection, there are 2 SFP+ ports achieving speeds up to 10 Gb/s. The switch is powered via a USB-C 5V DC 25W.

#### Etherlighting Technology

The switch supports Etherlighting technology, allowing color indication of port location, link speed, defined device types, PoE status or individual VLANs.

\*To ensure proper functionality, it is recommended to use Ubiquiti UniFi Etherlighting Patch cables

#### Managed via UniFi Controller

The switch does not have web management but is centrally managed via UniFi Controller with support for the mobile app UniFi and offers an extensive set of advanced switching protocols and L2 features, including operational mode (switching, mirroring, or aggregation) per port. UniFi Network Controller and mobile app enable administrators to configure and monitor virtually all switch features in a graphical user interface from anywhere.

#### Package Contents

Device  
DC Power Adapter  
Mounting Kit  
Technical parameters

#### Connectors and Interfaces

LAN speed:(12) 10/100/1000Mbps + (4) 10/100/2500Mbps  
Optical interfaces:(2) 1G/10Gbps  
Other features:Touchscreen

#### Power

Power type:USB-C  
Max. power consumption [W]:25  
Power via connector/terminal:5V DC

#### Physical characteristics

Design:On the wall, Desktop, Rackmount  
Fans:No  
Chassis design:Metal  
Buttons:Reset  
Operating temperature [°C]:-5 up to 40  
Width [mm]:325  
Height [mm]:44  
Depth [mm]:160

#### General

Switching capacity [Gbps]:84  
Packet forwarding rate [Mpps]:62

#### Software

Management:UniFi Network  
Features:VLAN, DHCP snooping, L3  
Default IP address:Dynamic from DHCP

**Κατηγορία**

ΔΙΚΤΥΑΚΑ ΠΡΟΪΟΝΤΑ || ΕΝΕΡΓΟΣ ΕΞΟΠΛΙΣΜΟΣ || DATA SWITCH

