

Terminals

The SL1000
Smart Communication for Small Businesses

Pre-Sales Support SL1000

Release x

Doc. Version 1.00



Agenda

- Hybrid System Phones
 - 24 button Multiline telephone (MLT)
 - 12 button Multiline telephone (MLT)
- IP System Phones
 - 24 button Multiline telephone (MLT)
- DSS Console
- Analoge phone
- Doorphone





"Intuitive handsets with time-saving features, helping you to work faster"



Multi Line Telephones Design







Page 3



- High quality look and feel
 - Flat / slim line design
 - Pearl white face, creating a contrast with the black keys
 - Multiple Language support:
 Simply change the Desi label
 - Navigation key allows for an improved user interface



Features at your fingertips



LED indicates incoming call, request for call-back and new voicemail

24 Button Multi-Line Telephone (IP4WW-24TXH-A)



- To be connected to:
 - IP4WW-408M-A1
 - IP4WW-408E-A1
 - IP4WW-008E-A1
- License: None

- Main features
 - hybrid (4 wires) MLT
 - 24 key programmable keys with leds
 - 4 feature keys and navigation keys
 - Backlit dial pad: No
 - Half Duplex Speakerphone
 - Call indicator lamp
 - 8 Selectable ring tones
 - 20 number personal directory
 - 1000 number system/group directory
 - Adjustable angle

SL1000 Sales Support Training

- Built-in wall mount kit
- Energy saving sleep mode
- Available in Black and White

12 Button Multi-Line Telephone (IP4WW-24TXH-A)



- To be connected to:
 - IP4WW-408M-A1
 - IP4WW-408E-A1
 - IP4WW-008E-A1
- License: None

Page 6

Main features

- hybrid (4 wires) MLT
- 12 key programmable keys with leds
- 4 feature keys and navigation keys
- Backlit dial pad: No
- Half Duplex Speakerphone
- Call indicator lamp
- 8 Selectable ring tones
- 20 number personal directory
- 1000 number system/group directory
- Adjustable angle
- Built-in wall mount kit
- Energy saving sleep mode
- Available in Black and White

24 Key IP Handset (IP4[]-24TIXH-C TEL)



Main Features

- IP multiline telephone
- 24 Programmable keys with LEDs
- 4 feature keys and navigation keys
- LCD:24 digits x 3 lines with Backlit
- Backlit keypad and soft keys
- Headset port
- Full Duplex Hands free
- Tri-color call indicator lamp
- 8 Selectable ring tones
- 20 number personal directory
- 1000 number system/group directory

continued on next sheet



24 Key IP Handset (Continued)

- 2 x RJ45 Ethernet Ports for LAN and PC (10/100 Base-TX)
- Power : PoE (IEEE802.3af) or AC Adapter (optional)
- CODEC: G.711/G.729a/G.722
- Homeworking functionality (NAT traversal)
- Angle Adjustment: 2-steps
- Wall-Mounting kit: IP4WW-WALL MOUNT UNIT (Optional)
- Available in Black and White

- To be connected to:
 - LAN
- License: None
- Requirements:
 - BE110290 IP4WW-VOIPDB-C (VoIP card)
 - BE110247 IP4EU-MEMDB-C1 (memory card)



60 Button DSS Console (IP4WW-60D DSS-A)



- To be connected to port No. 8 at
 - IP4WW-408M-A1
 - IP4WW-408E-A1
 - IP4WW-008E-A1
- License: None

- Main features
 - hybrid (4 wires)
 - 60 programmable keys with LEDs
 - To be used as
 - DSS (Direct Station Selection) for operator,\ receptionists
 - Hospitality mode
 - Adjustable angle
 - Built-in wall mount kit
 - Energy saving sleep mode
 - Available in Black and White

Page 9

Analoge SLT Phones



- Any SLTsupporting
 - DTMF / FSK caller-ID
 - Message Waiting LampHigh Voltage

- To be connected to:
 - IP4WW-408M-A1
 - IP4WW-408E-A1
 - IP4WW-008E-A1
- License: None

Doorphone (DX4NA)



Doorphone

- Provides a speech connection
- NB. Door can be opened by making use of 1 of the 2 "General Purpose / Door Unlock Relays" on the on the IP4WW- 408M -B1 card

To be connected to:

port No. 6 and 7 at 408M of each KSU

License: None

Page 11



Empowered by Innovation

